



Sunquest ICE pathway for TIA Clinic Referrals to the RUH

1. Select the 'RUH Services' tab along the top of the screen. This will open the 'RUH Services' page on the left hand side of the screen.



Clicking the hyperlink icon will open the printable patient advice leaflet displayed below.



1. You will be presented with the following 2 screens which contain a mix of clinical guidance and data collection to enable the RUH to assess your patient's needs.

TIA - Clinic Referral Panel 1

TIA - Event Date/Time
Event Date + Time

13 / 12 / 2013 00 : 00

TIA - Date/Time of assessment
Date + Time of assessment/first contact

13 / 12 / 2013 00 : 00

TIA - Referral Source
Referral Source

(Please Select)

TIA - Referral Advice
The diagnosis of TIA is unlikely if the following clinical features are present:

1. Confusion / isolated vertigo
2. Loss of consciousness
3. Light headedness / Faintness / dizziness
4. Total body weakness or fatigue

TIA - Clinical Detail
Clinical detail - CTRL/Click for multi selection:

Lt Hemiparesis
Rt Hemiparesis
Lt Hemi-sensory loss
Rt Hemi-sensory loss
Lt loss of vision
Rt loss of vision
Lt Loss of visual field
Rt Loss of visual field
Diplopia
Incoordination/ataxia

OK

TIA - Clinic Referral Panel 2

TIA - Vascular RFS

Select from pick list below - CTRL/Click for multi selection

- Hypertension
- IHD / CABG
- Stroke
- Smoker
- PVD
- DM
- Hyperlipidaemia
- Heart failure
- Alcohol excess
- None of the above

TIA - AF

Does the patient have atrial fibrillation?

Yes No

TIA - Relevant PMHx

Enter any relevant past medical history below (you may be able to cut + paste detail from your surgery system).

TIA - Current Meds

Current Medications (you may be able to cut + paste detail from your surgery system).

OK

2. Advice on calculating the ABCD2 score

TIA - ABCD2 Scoring Guidance
ABCD2 algorithm predicts a patient's very early risk of stroke following a TIA.
The score is calculated according to the 5 clinical features below:

TIA - (A) Age
Score 1 if over 60 (else 0)

TIA - (B) BP
Score 1 if sBP>' 140 or dBP>' 90 at presentation (else 0)

TIA - (C) Clinical features
Score 2 for Unilateral Weakness
Score 1 for speech disturbance without weakness
..... (else 0)

TIA - (D) Duration of symptoms
Score 1 for 10-59 mins
Score 2 for >'60 mins.

TIA - (D) Diabetes
Score 1 if known diabetes (else 0).

TIA - ABCD2 Total Score
Enter ABCD2 Total Score

(0 - 7)

OK

This will determine the HIGH or LOW risk category of your patient

TIA Clinic Referral
Is the ABCD2 score greater than or equal to 4?

High Risk referral panel

Rules - Webpage Dialog

TIA - High Risk Referral Panel

TIA - HIGH RISK referral
Your patient has been identified as a HIGH RISK referral.

TIA - Red Flag Symptoms
Please consider referring patient directly to ED if any red flag symptoms are present, but continue with referral.

Persistent symptoms
Recurrent TIA's (>1 event in 24 hours)
On warfarin
None of the above

TIA - Are Symptoms new
Are the patient's symptoms new?

Yes No

TIA - Treatment Protocol
Initiate Treatment as follows:

Aspirin 300 mg stat and OD if no contraindication and symptoms resolved.

If aspirin intolerant - start clopidogrel.

Simvastatin 40mg (target cholesterol 3.5)

TIA - Treatment Initiated
Date/Time treatment initiated

13 / 12 / 2013 00 : 00

TIA - Risk Advice
Advice for your patient:

1. Bring all medication.
2. NO driving until seen in clinic
3. If further event call 999
4. Eyewitness to event should accompany patient to clinic or ED.
5. If an ED/MAU referral send notes/ECG to dept B9.

TIA - Patient Home Phone Number
Patient Home Phone Number

TIA - Mobile Phone Number
Mobile Phone/Alternative Contact Detail

OK

LOW risk panel

TIA - Low Risk Referral Panel

TIA - LOW RISK Referral
Your patient has been identified as a LOW RISK referral.

Your patient will be given the next available slot in the TIA clinic.

TIA - Risk Advice
Advice for your patient:

1. Bring all medication.
2. NO driving until seen in clinic
3. If further event call 999
4. Eyewitness to event should accompany patient to clinic or ED.
5. If an ED/MAU referral send notes/ECG to dept B9.

TIA - Patient Home Phone Number
Patient Home Phone Number

TIA - Mobile Phone Number
Mobile Phone/Alternative Contact Detail

OK

The blood tests required for your patient's referral to the TIA service are auto-ordered for you prior to you/phlebotomist collecting the blood.

RUH Services

Search

Set as Default Panel

TIA - Clinic Referral

- Full Blood Count
- Urea
- Creatinine & electrolytes
- LFT (Liver Function Tests)
- Lipids - non-fasting
- Glucose - non-fasting

Ok Cancel and Return

Continue with the ICE requesting process

Continue with request...