



DATE & TIME	CONTRAST GIVEN	ROUTE	VOLUME	LOT NO.	EXPIRY DATE
	Niopam 300	I.V			
DETAILS					

**PLEASE CONTACT YOUR GP / OUT-OF HOURS DOCTOR/
PHARMACIST IF YOUR CONDITION DOES NOT IMPROVE AND
TAKE THIS FORM WITH YOU.**

Date of publication August 2019

Ref: RUH RAD/068 © Royal United Hospitals Bath NHS Foundation Trust



DATE & TIME	CONTRAST GIVEN	ROUTE	VOLUME	LOT NO.	EXPIRY DATE
	Niopam 300	I.V			
DETAILS					

**PLEASE CONTACT YOUR GP / OUT-OF HOURS DOCTOR/
PHARMACIST IF YOUR CONDITION DOES NOT IMPROVE AND
TAKE THIS FORM WITH YOU.**

Date of publication August 2019

Ref: RUH RAD/068 © Royal United Hospitals Bath NHS Foundation Trust

Contrast Reactions

This advice leaflet explains what to do if you experience any symptoms you are worried about

A very small percentage of patients may develop a delayed reaction with a rash which can occur up to a week after an imaging exam with an iodine-based contrast material. Most are mild, but severe rashes may require medication.

After Receiving Contrast

Please ensure you remain well hydrated for a few days after your scan.

Do not drive for an hour after your scan.

Important

If you experience any unusual symptoms, you should seek advice from your GP or attend your local accident and emergency (A&E) department and take this leaflet with you.

Contrast Reactions

This advice leaflet explains what to do if you experience any symptoms you are worried about

A very small percentage of patients may develop a delayed reaction with a rash which can occur up to a week after an imaging exam with an iodine-based contrast material. Most are mild, but severe rashes may require medication.

After Receiving Contrast

Please ensure you remain well hydrated for a few days after your scan.

Do not drive for an hour after your scan.

Important

If you experience any unusual symptoms, you should seek advice from your GP or attend your local accident and emergency (A&E) department and take this leaflet with you.